




WENZHOU BONJEE MACHINERY CO., LTD WENZHOU UNITELY IMP & EXP CO., LTD

Add: No.11 building (B8) Xuezhimeng, Wanquan Town, Pingyang county, Wenzhou city, Zhejiang, China
Tel: +86-577-63703568 Fax: +86-577-63703568
Web: www.bonjochina.com www.unitelychina.com
Email: sale2@unitelychina.com Cell: 008615067762010

Automatic roll paper lid making machine for single layer lid Quotation



Brief:

The Model BJ-PL145 high speed paper lid machine was developed on the basis of medium speed machine, with reference to the function of the paper cup forming machine and characteristics of the paper lid production efficiency. It is the best

No.	Machine name	Quantity	Price FOB
1	Roll paper lid making machine Model BJ-PL145	1 SET	25,000

Pls note: above price include 1set moulds fixed free on machine, this model BJ-PL145 machine maximum paper lid diameter can make 145mm; if the paper lid diameter more than 145mm, you can choose another model BJ-PL220, this machine can make maximum paper lid diameter 220mm, we are designing it.

equipment for producing paper container lid, instant juice cup lid, coca cola cup lid and other paper container lid

Main features:

1. Paper Roll Feeder. It is very stable for feeding the paper, less wastage. No need cut the paper sheet put the machine
2. Save Cost. This machine worker cost is reduce more, also it is more less cost for paper material.
3. Self-lubrication system. Adopt self-lubrication system (auto oil circle system), automatic lubricate the move parts(bearing, axis, cam, chain, etc), keep the machine long life time (more durable) and reduce the manual maintenance, reduce the friction between the parts. So the machine can be maintained without manually fueling.
4. PLC program control system, intelligent control the movement, easy operate and maintenance, Keep the machine runs smoothly, less fault and less wastage.

Main technical datas:

model	BJ-PL145	BJ-PL220
Raw Material	One-side or two side (polyethylene)film coated/laminated paper (Like the PE coated paper; PLA paper; card board paper with film) The paper thickness should 0.46-0.5mm (stand mould)	
Rate Speed	50-100 pcs/ minutes	40-80 pcs/minutes
Paper Lid Size:	φ55-φ145mm	Φ140-φ220mm
total weight	2500 KGS	2800KGS
Power Source	380V 3-phase, 50Hz , 12KW	
working air source	Air pressure:0.4Mpa; Air Out-put:0.3m ³ /minute User should buy Air Compressor	
packing size	3000 x 1200x 1650 mm	

Main Electrical Configuration

NO.	Name	Brand
1	CPU	Schneider, French
2	Inverter	Schneider, French
3	Servo driver	Schneider, French
4	Servo motor	Schneider, French
5	Extension	Schneider, French
6	Relay	Schneider, French
7	base	Schneider, French
8	Contactors	Schneider, French
9	Air switch	Schneider, French

Price term	FOB Ningbo Port, China
Payment term	By 100% T/T , 30% of deposit in advance, 70% balance before shipment.
Delivery time	45 working days will be shipment after received the deposit and confirmed the samples /drawings
Package	Ply wooden Case/ Ply Wooden Tray
Guarantee	One year, during this period, in case of any troubles of the machine being discovered is not due to bad operation, and caused by machineself, the seller will repair/replace/send the spare parts for free, after one year, the seller will supply the spare parts to buyers as the cost.
Installation and test running of machine	we will send our technician to install and test run the machine and train operation ,according to customer's requirements. all expense abroad including getting visa,2-way air tickets, food, hotel, local traffic ,translator ,worker salary (usd100 /day) etc should be covered by buyer.